



Engineering cell
Delhi Technological University
Shahbad Daulatpur, Bawana Road, Delhi-110042

File No: DTU/Engg.Cell/002573/2018-19/Civil

Dated: 12-09-2019

NOTICE INVITING QUOTATION

The Executive Engineer, Engineering Cell DTU invites, on behalf of Delhi Technological University, sealed percentage rate short terms quotations from Civil Contractors up to 3:00 PM on 17/09/2019 for the following works, which shall be opened at 3:30 PM on the same day. Schedule of work along with terms and conditions can be obtained from office of the Executive Engineer on all working days by submitting an application along with a copy of G.S.T. No. and PAN Card up to 02:00 PM on 17/09/2019.

S. No.	Name of Work	Estimated Cost (Rs.)	Time Allowed	Last date of Receipt of Quotation
1.	Providing parking area and development work near E.V. Lab at Electrical Engineering Department, DTU.	2,22,747/-	05 days	17-09-2019


TERMS & CONDITIONS:-


1. The work shall be carried out as per CPWD specifications/manufacturer's specification.
2. The rates quoted should be inclusive of all the taxes and duties & nothing extra shall be paid.
3. The quotations which are issued from the office of EE shall only be accepted, quotations in other forms shall be summarily rejected without assigning any reasons.
4. No T&P shall be issued to the firm by the department.
5. All necessary recoveries shall be recovered from the bill.

Enclosure: Schedule of work.

Copy to:-

1. Sr. Account Officer, DTU
2. A.E. (Civil)
3. Notice Board


Executive Engineer
DTU Campus, Bawana Road
Delhi


Executive Engineer
DTU Campus, Bawana Road
Delhi


Schedule of Work

Name of Work: Providing parking area and development work near E.V. Lab at Electrical Engineering Department, DTU

S. No.	DESCRIPTION OF ITEM	Unit	QTY.	RATE (Rs.)	AMOUNT (Rs.)
1	Dismantling steel work in single sections including dismembering and stacking within 50 metres lead in: Channels, angles, tees and flats	Kg	200.00	0.95	190.00
2	Providing and fixing in position collapsible steel shutters with vertical channels 20x10x2 mm and braced with flat iron diagonals 20x5 mm size, with top and bottom rail of T-iron 40x40x6 mm, with 40 mm dia steel pulleys, complete with bolts, nuts, locking arrangement, stoppers, handles, including applying a priming coat of approved steel primer.	Sqm	7.50	5360.65	40205.00
3	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work	sqm	25.00	78.40	1960.00
4	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. In cement mortar	Cum	7.00	842.75	5899.00
5	Dismantling stone slab flooring laid in cement mortar including stacking of serviceable material and disposal of unserviceable material within 50 metres lead.	sqm	65.00	109.35	7108.00
6	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab, including rubbing and polishing complete with base of cement mortar 1 : 4 (1 cement : 4 coarse sand) : 25 mm thick	sqm	60.00	1158.10	69486.00


JECY



AEC(ivil)



EE/DTU

Contd...

7	Providing and laying Polished Granite stone flooring in required design and patterns, in linear as well as curvilinear portions of the building, all complete as per the architectural drawings, with 18 mm thick stone slab over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand), laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade, including rubbing, curing and polishing etc. all complete as specified and as directed by the Engineer-in-Charge. Polished Granite stone slab jet Black, Cherry Red, Elite Brown, Cat Eye or equivalent.	Sqm	5.00	2937.70	14689.00
8	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:3:6 (1 Cement : 3 coarse sand (zone-III): 6 graded stone aggregate 40 mm nominal size)	Cum	12.00	4814.55	57775.00
9	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or leaner mix (i/c equivalent design mix)	Cum	15.00	997.05	14956.00
10	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	Cum	50.00	120.55	6028.00
				Total	218296.00
				Add 12.75 cost index	27832.74
				Total	246128.74
				Less 9.50 % as per circular	-23382.23
				Total	222746.51
				Say	222747.00


J.E. (Civil)


A.E. Civil


Executive Engineer
DTU, Bawana Road