

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI
DELHI TECHNOLOGICAL UNIVERSITY
(FORMERLY DELHI COLLEGE OF ENGINEERING) Ph. 27296326
SHAHBAD DAULATPUR: BAWANA ROAD: DELHI-110 042

No. F. DTU/S&P/211/5-1/13-14/

Dated:

NOTICE INVITING TENDER

E- Tenders along with illustrated literature/leaflets for the supply/execution of item(s)/stores/work detailed below are invited in two-bids system through 'e' procurement solution only as per the guidelines and terms & conditions given in tender document - details of the NIT along with terms & conditions, specifications etc. can be seen/downloaded at/from the website.

The interested tenderers should upload duly signed tender form and their bids along with scanned copies of all the relevant certificates, documents etc. in support of their technical & price bids - all duly signed - on the: <https://govtprocurement.delhi.gov.in>. latest by **07/01/2015 up to 2.30 P.M.** **An index prepared after pagination of all documents may also be uploaded** The technical bids will be opened online on **28/01/2015** at 3.00 P.M {those bidders only whose original instrument of EMD amount is dropped in Tender Box placed in the office of OIC (S&P)} in the presence of the bidders who wish to be present and will also be displayed on the website. For participation in the tender through e-procurement solution, the tenderers are required to have digital certificate and get registered with application Service Provider NIC.

Tender document is also available for viewing on the website of Delhi Technological University, Delhi at www.dce.edu and www.dce.ac.in

Yours faithfully,

EMD: Rs. 36,000/-

OFFICER IN-CHARGE (S&P),

S.NO.	DESCRIPTION	QTY.
1.	Active and Passive Microstrip Component Design Measurement System	1 set
2.	1.3 GHz Vector Network Analyzer with RF Cables and Accessories	1 no.
3.	Microstrip Component Training System Calibration Kit	1 set

Specifications on next page...

TECHNICAL SPECIFICATIONS

1. ACTIVE AND PASSIVE MICROSTRIP COMPONENT DESIGN AND MEASUREMENT SYSTEM.

- The Training System should be designed to introduce the fundamentals of micro strip line technology with emphasis on Micro strip Active and Passive Components using the Vector Network Analyzer. The design frequency should range up to 3 GHz
- A dedicated board for Passive circuits consists of micro strip Filter section (LPF,HPF,BPF,BSF), Coupler section (Branch line, Coupled line, Rat Race), Tee and Pi Attenuator section, Circulator-Isolator, Power Divider, Ring Resonator and Transmission Line Section with Terminations and Loads.
- Two dedicated boards for Active circuits are provided with Amplifier, Mixer, VCO and PIN Diode Phase Shifter on one board. Useful for characterizing Amplifier Gain, Isolation, 1Db Compression point, VCO Characteristics, Mixer-Characteristics, Frequency conversion, active Phase shifter characteristics.
- The other board for Active circuits consists of a Schottky Diode Detector, PIN Diode Modulator, PIN Diode SPST and SPDT Switch and PIN Diode Variable Attenuator.
- The trainer kit should contain Gold plated components in a accurate, robust and integrated board platform, secure from user intrusion, and have good power handling capacity and suitable for interfacing with the Vector Network Analyzer.

SPECIFICATIONS:

SOURCE BOARD

MMIC Amplifier

- Frequency : 100 MHz to 3GHz
- Gain : 15 dB @ 2GHz (Typical)
- Noise Figure : 2.9 dB @ 3GHz
- Reverse Isolation : 20 dB (typical)

VCO

- Frequency: : 1600 MHz - 3200MHz
- Power Output : 8 dBm (typical)
- Tuning Voltage : 0.5 V to 10 V

Frequency Mixer

- RF / LO Frequency : 1600 MHz to 3200 MHz
- LO Power IN : +7 dBm
- IF Out : DC to 1000MHz
- Conversion Loss : 6.3 dB (typical)
- Isolation : 20 dB (typical)

PASSIVE COMPONENT BORAD

Micro strip Filters

LPF

- Frequency Range : 100 MHz to 2 GHz (3dB cut-off +/- 50 MHz)
- Insertion Loss : < 1.5 dB

HPF

- Frequency Range : 1.9 GHz (3dB cut-off +/- 50 MHz)
- Insertion Loss : < 1.5 dB

BPF

- Center Frequency : 2 GHz (+/- 50 MHz)
- Bandwidth : ~ 300 MHz @ 3 dB
: ~ 800 MHz @ 30 dB

BSF

- Center Frequency :1.8 GHz (+/- 50 MHz)
- Bandwidth : ~ 850 MHz @ 3 dB

Attenuators

- Tee Attenuator : 10 dB
- Pi Attenuator : 5 Db

COUPLERS

Coupled Line Directional Coupler

- Center Frequency: 2 GHz (+ /- 50 MHz)
- Coupling: 13 dB
- Isolation: > 20dB

Branchline Coupler

- Center Frequency: 2.45 GHz (+/- 50 MHz)
- Isolation: > 20dB

Rate Race Coupler

- Center Frequency: 2.45 GHz (+/- 50 MHz)

- Isolation: > 20dB

Ring Resonator

- Center Frequency: 2.45 GHz (+/- 50 MHz)
- Bandwidth: 60 MHz

Power Divider

- Frequency: 500 MHz to 3 GHz
- Isolation: > 20 dB

Transmission Line Terminations / Loads

- OPEN Termination
- SHORT Termination
- MATCHED Load
- MISMATCHED Load

DETECTOR BOARD:

Pin Diode Switch

- SPST Switch Frequency: 1GHz to 2.5 GHz
- SPDT Switch Frequency: 1GHz to 2.5 GHz
- Insertion loss: < 3dB

Pin Diode Variable Attenuator

- Frequency : 1.5 GHz to 2.5 GHz
- Attenuation range : 7 dB to 17 dB
- Variable Voltage : 0 V to + 5 V

Schottky Diode Detector

- Frequency : 2.4 GHz
- Input power : -30 dBm to 10 dBm

Schottky Diode Detector

- Frequency : 2.2 GHz to 2.5GHz
- Input power : -30dBm to 10dBm

3.2 GHz Full 2 Port VECTOR NETWORK ANALYZER should have the following Features

- Measurement of S-parameters, impedance, admittance, Quality factor.
- Result display format: Smith chart, magnitude and phase, polar diagram, real, imaginary, group delay, VSWR.
- Analysis capability in time domain and frequency domain
- Facility to import and export Touchstone files.
- Intuitive software user interface with direct print facility and post processing on PC.
- Eight numbers of traces and four channels with trace evaluation: max, min, peak-to-peak, target values on a trace.

Measurement range

- Impedance : 50Ω (75Ω connectors via adapters)
- Test port connector : N-type, female
- Number of test ports : 2
- Measured Parameters : S11, S21, S12, S22
- Frequency range : 300 KHz to 3.2 Ghz
- Power : -55 dBm to +10 dBm
- Frequency resolution : 1 Hz
- No. of measurement points : 1 to 10001
- Measurement bandwidths : 1 Hz to 30 KHz (with 1/1.5/2/3/5/7 step)
- Dynamic range : 135 dB

Measurement capabilities

- Measured parameters : S11, S21, S22 and S12
- Data display formats : Logarithmic magnitude, linear magnitude, phase, expanded phase, group delay, SWR, real part, imaginary part, Smith chart diagram and polar diagram

Sweep features

- Sweep type : Linear, logarithmic, segment frequency sweep

Sweep trigger

- Trigger modes: continuous, single, hold

Trace functions: Trace display

Marker functions

Data markers: Up to 16 markers for each trace

50 Ohm SMA-type Calibration kit 300 Khz to 3 GHz(female)

The calibration kit should have Short-Open-Load-Thru (SOLT Full-Two-Port calibration should be possible. The calibration kit should be packaged in a miniature box.

- SMA-type Thru(female-female) : 3G: SWR≤1.05 6G:SWR≤1.10
- SMA-type open(female) : SWR≥100
- SMA-type short(female) : SWR≥100
- SMA-type high precision standard load(female) : 3G:SWR≤1.02 6G:SWR≤1.04

2. 1.3 GHz VECTOR NETWORK ANALYZER WITH RF CABLES AND ACCESSORIES

SPECIFICATIONS

Measurement range

- Impedance : 50Ω (75Ω connectors via adapters)
- Test port connector : N-type, female
- Number of test ports : 2
- Frequency range : 300 KHz to 1.3 Ghz
- Power : -55 dBm to +3dBm
- Frequency resolution : 1 Hz
- No. of measurement points : 1 to 10001
- Measurement bandwidths : 10 Hz to 30 KHz (with 1/3 step)
- Dynamic range : 130 dB

Measurement capabilities

- Measured parameters : S11, S21
- Data display formats: Logarithmic magnitude, linear magnitude, phase, expanded phase, group delay, SWR, real part, imaginary part, Smith chart diagram and polar diagram

Sweep features

Sweep type : Linear, logarithmic, segment frequency sweep

Sweep trigger

Trigger modes : continuous, single, hold

Trace functions : Trace display

Marker functions

Data markers : Up to 16 markers for each trace

Accessories

- 2 set of RF Cables N-Male to SMA - Female
- Software on CD

3. MICROSTRIP COMPONENT TRAINING SYSTEM WITH CALIBRATION KIT

- The System should be designed to introduce the fundamentals of micro strip line technology with emphasis on Microstrip Components .The design frequency should range up to 1.3 GHz.
- A dedicated board for Passive circuits consists of Microstrip Coupled Line Coupler section, Circulator- Isolator, Power Divider and Ring Resonator.
- The trainer kit should contain Gold plated components in an accurate, robust and integrated board platform, secure from user intrusion, and have good power handling capacity and suitable to be connected to a Vector Network Analyzer.

TECHNICAL SPECIFICATION:

(a) INTEGRATED MODULE BOARD consisting of 5 Passive Devices - Low Pass Filter, Isolator, Circulator, Power Divider and Directional Coupler designed on FR 4 Substrate NA-Y-84 with Substrate thickness : 1.6mm and Substrate dielectric constant ϵ_r : 4.4. It should be supplied with Type N to SMA Cable - 02 Nos. and 50 Ohm Terminator - 02 Nos.

LOW PASS FILTER

- Frequency Range : 100 MHz to 750 MHz (3dB cut-off +/- 50 MHz)
- Insertion Loss : < 1.5 dB

COUPLED LINE DIRECTIONAL COUPLER

- Center Frequency : 1 GHz (+/- 50 MHz)
- Insertion Loss : < 1 dB
- Coupling : 13 dB
- Isolation : > 25dB

RING RESONATOR

- Center Frequency : 1.04 GHz (+/- 10 MHz)
- Bandwidth : 25 MHz

POWER DIVIDER

- Frequency : 700 MHz to 1.3 GHz
- Power Division : 3dB + I.L
- Isolation : > 25 dB

CIRCULATOR

- Frequency : 1.2 GHz (+/- 50)
- Insertion Loss : < 2 dB
- Isolation : 20 dB

(B). 50 OHM SMA-TYPE CALIBRATION KIT 300 KHZ TO 3 GHZ(FEMALE)

The calibration kit should have Short-Open-Load-Thru (SOLT) Full-Two-Port calibration should be possible. The calibration kit should be packaged in a miniature box.

- SMA-type Thru(female-female) : 3G: SWR≤1.05 6G:SWR≤1.10
- SMA-type open(female) : SWR≥100
- SMA-type short(female) : SWR≥100
- SMA-type high precision standard load(female) : 3G:SWR≤1.02 6G:SWR≤1.04

EXPERIMENTS THAT SHOULD BE POSSIBLE WITH THE ABOVE SET UP

- Experiment on low pass filter.
 - Study of configuration used for design.
 - Design equivalent lumped element circuit for stepped impedance.
 - Measurement of insertion loss, 3db and 15db bandwidth, roll off.
- Transmission / Insertion loss Characteristics, Return loss and Phase Characteristics of Circular/ Isolator.
- Measurement of Bandwidth and Quality factor of Passive component.
- Phase Characteristics through Coupled and Isolation ports using Analyzer

(TO BE SUBMITTED ALONG WITH TECHNICAL BID)

TENDER NOTIFICATION NO: -----

Phone No:- 27296326

UNDERTAKING

The Registrar,
Delhi Technological University,
Bawana Road,
Delhi-110042

We the undersigned (herein after called as Contractor/Vendors/Suppliers) hereby offer to execute supply of items as per specification against which we have quoted over rates and for which this tender may be accepted at the rates stated there in and subject to the terms & conditions set forth for such items as may be ordered by the Registrar, Delhi Technological University or officer acting on his behalf.

Date this _____ Day of _____

Signature of Contractor _____

Address _____

INDEX

S.No.	Particulars of documents	No. of pages

Guidelines/Procedure to be followed in introduction of 'e'-procurement solution:

1. Payment of cost of Tender documents: The collection of cost of Tender documents is dispensed away with, as there is no physical supply of tender documents and also to have absolute anonymity of bidder participating in e-procurement solution. The bidders can view/download the tender documents from the: <https://govtprocurement.delhi.gov.in> .

2. Submission of bids: The bidders who are desirous of participating in 'e'- procurement shall submit their price bids in the standard formats prescribed in the Tender documents, displayed at : <https://govtprocurement.delhi.gov.in>. The bidder should upload the scanned copies of all the relevant certificates, documents etc. in the: <https://govtprocurement.delhi.gov.in> in support of their price bids. The bidder shall sign on all the statements, documents, certificates, uploaded by him, owning responsibility for their correctness/authenticity and copies thereof may also be submitted in the office of the Officer In-charge (S&P), DTU along with original EMD before the specified date & time. In the event of the specified date for physical submission of EMD along with copies of bid documents is declared a holiday, the same will be received up to the appointed time on the very next working day. However, documents of the bidders downloaded online or requisitioned subsequently only will form the basis for deciding the tender.

3. Payment of Bid Security (Earnest Money Deposit): The EMD shall be in the form of the Demand Draft/Pay Order/BG/Fixed Deposit Receipt of a scheduled bank issued in favour of Registrar, Delhi Technological University, Delhi and the zerox copy thereof is to be scanned and uploaded along with the bid, and the original shall be sent to DTU so as to reach before the date & time of closing of the bids; failing which bid will be rejected. The Bid Security (EMD) of unsuccessful bidders will be discharged immediately after finalization of the order/contract without any interest. However, firms registered with NSIC etc., are exempted from submitting EMD provided such registration includes the item(s) they are offering are manufactured by them and not for selling products manufactured by other companies.

4. Price Bid Opening: The Price Bids of only technically qualified bidders (whose bids satisfy the prescribed technical specifications/parameters and have also submitted all requisitioned documents & EMD) will be opened online at the specified date & time and will subsequently be evaluated to determine the lowest bidder. The result will be displayed on the: <https://govtprocurement.delhi.gov.in> which can be seen by all the bidders who participated in the tenders. There shall not be any negotiation normally. However, in exceptional cases, negotiations can be held with the lowest evaluated responsive bidder only. Counter offers tantamount to negotiations and shall be treated at par with negotiations.

5. Processing of Tenders: The concerned officer/officers will evaluate and process the tenders as done in the conventional tenders and will communicate the decision to the bidder online.

6. Payment of Performance Security: The successful tenderer shall furnish a Bank Guarantee/FDR of the value of 05% of the basic cost of the item for a period of 60 days beyond the warranty period from a nationalized bank to ensure the satisfactory performance of item supplied. The performance guarantee is to be submitted at the time of installation / demonstration of equipments. In case the performance of the item is not found satisfactory, the amount of Performance Security will be forfeited & credited in university account.

7. Participation of Bidders at the time of opening of bids: Bidders have two options to participate in tendering process at the time of opening of Bids:

- (i). Bidders can come at the place of opening of bids (electronically) as done in the conventional tender process.
- (ii). Bidders can visualize the process online.

8. Participation Financial Rules for e-procurement: The e-procurement system would be applicable for purchase of goods, outsourcing of services and execution of work as prescribed in GFRs.

OFFICER IN-CHARGE (S&P)
DELHI TECHNOLOGICAL UNIVERSITY,
SHAHBAD DAULATPUR, BAWANA ROAD, DELHI - 110 042

TERMS AND CONDITIONS

Procedure for submission of bids: The bidders who are desirous of participating in 'e'- procurement shall submit their technical and price bids in the standard formats prescribed in the Tender documents, displayed at: <https://govtprocurement.delhi.gov.in>. The bidder should upload the scanned copies of all the relevant certificates, documents etc. after page-numbering all documents and tender document and prepare an index thereof in the: <https://govtprocurement.delhi.gov.in>. in support of their price bids. The bidder shall sign on all the statements, documents, certificates, uploaded by him, owning responsibility for their correctness/authenticity and copies thereof may also be submitted in the office of the Officer In-charge (S&P), DTU along with original EMD. However, documents of the bidders downloaded online or requisitioned subsequently only will form the basis for deciding the tender.

1. Manufacturers (OEMs) or their Authorized Distributors/Suppliers/Agents/Channel Partners only should submit their bids.
2. ALTERATION IN THE SPECIFICATION.
 - (i) The specifications mentioned/issued with this form of tender must not be altered by the Suppliers.
3. INCOMPLETE TENDERS
4. The Bidder is expected to examine all instructions, forms, terms and specifications in the bidding documents. Failure to furnish all information/documents, as asked for in the NIT, or submission of a bid not substantially responsive to the NIT in every respect, will be at the Bidder's risk and may result in rejection of its bid.
5. CANCELLATION OF TENDER/ CONTRACT/ IN PART OR IN FULL IN CASE OF DEFAULT IN CONTRACT/SUPPLY:

If the Supplier, in the opinion of the Institute, fails or neglects to comply with any of the terms & conditions forming, part of the order issued, the head of institute shall without prejudice to any other right or remedies under the contract, has the right to cancel the contract /order by giving 15 days notice in writing to the Suppliers/firms without being liable to pay compensation for such cancellation.
6. Tender shall be uploaded as per guidelines indicated for e-procurement solution.
7. Demonstration of equipments has to be arranged by the suppliers, if desired by the institute. The technical committee may visit production facility if so desired for sample verification.
8. The quotation should be valid for a period of one year from the date of opening of the tender.
9. Rates are to be quoted in INR (Rupee terms) only and any revision thereof is not allowed after the tenders have been opened.
10. The delivery period should be clearly mentioned against each item, incase, the items are not readily available, ex-stock offer will be preferred.
11. Rates should be quoted F.O.R Institution. Taxes and Duties namely Sales tax/VAT/Custom Duty (against Custom Duty Exemption Certificate)/Excise Duty should be mentioned clearly.
12. Consignment will not be insured at the Institute/University Cost.
13. **Bidder, if is not the Original Equipment Manufacturer (OEM), must submit OEM's or their Distributor's Authorization to quote/sell the product(s).** Preference will be given to quotation pertaining to indigenous products. However, where suitable substitutes are not available and item need to be imported the following clarification/information should be given.
 - o Whether the item will be imported by the intended tenderers against its own import license or university will have to provide Custom Duty Exemption Certificate (CDEC).
 - o Name and address of the foreign supplier, make & model of the offered product and authorization to sell from OEM or their Distributor/ Authorized Chanel Partner.
 - o Delivery period including information about mode of dispatch and possible duration (after dispatch) for receipt of item at the port.
 - o Whether the item required any special preparation for installation. In case yes, full details should be given regarding operation maintenance of the items.
 - o In case of costly/sophisticated items whether the tenderers will arrange any special training regarding operation / maintenance of the items.
 - o Nature of assurance for the supply of spares after the warranty period.
14. The payment will be made within 30 days after the successful demonstration/installation of the equipment and fulfilling of other obligations (like training etc., if any) as per the purchase/work order, against a Bill/Invoice; containing therein details of goods delivered/services performed. Rejected items/goods should also be removed within 30 days after which no responsibility will be accepted by University.
15. In the event of the item(s) being imported product(s), Custom Duty Exemption Certificate (CDEC) will be issued by the University on the written request of the supplier; who, in turn, will furnish copies of relevant Customs Related Documents namely Airways Bill, Packing List, TR-6 challan etc. along with Bill/Invoice.

16. Conditional quotations and/or incomplete quotations in any respect will be rejected.
17. In case you cannot quote for one or more of the items asked for in the tender the word "NOT QUOTED" (in the rate column) should be indicated.
18. The specification of the item quoted by the firm should confirm to the University specifications. Confirmation, in this respect should be specifically mentioned in the tender. Where the tenderer feels that the specification of the item not fully given or differ, from the specification of the item mentioned by the university, the exact specification of such item should be attached with the tender indicating the item quoted.
19. The Firm is required to link the University specifications with catalogues & leaflets/literature and also **mention Make and the Model for each item**. Detailed features, for compliance of specification should be provided on specification sheet & appropriate reference i.e. page no. & para of literature, leaflet wherefrom the relevant information has been checked, should be indicated.
20. **EARNEST MONEY:-** EMD should be attached with the technical bid. The EMD shall be in the form of the Demand Draft/Pay order/BG/Fixed Deposit Receipt of a scheduled bank issued in favour of Registrar, Delhi Technological University, Delhi. Zerox copy thereof is to be scanned and uploaded along with the bid, and the original instruments shall be sent to DTU so as to reach before the date of closing of the bids. Failure to furnish the original instrument before the closing of the bid, will entail rejection of bid and blacklisting. **If the tenderer after acceptance of the tender refused to take up the purchase order, his Earnest Money will be forfeited.** Any tender received without / less Earnest Money deposit shall be summarily rejected.
21. The Purchase Order/Contract will be awarded to the successful Bidder whose bid has been determined to be responsive and has been determined to be the lowest evaluated bid, provided further the Bidder is determined to be qualified to execute the Order/Contract satisfactorily.
22. There shall not be any negotiation normally. However, in exceptional cases, negotiations can be held with the lowest evaluated responsive bidder only. Counter offers tantamount to negotiations and shall be treated at par with negotiations.
23. The Competent Authority reserves the right to reject any or all the tenders and annual the bidding process at any time prior to award of Contract, without assigning any reason, without thereby incurring any liability to the affected Bidder or Bidders, and his decision will be final.
24. The supplies shall have to be made within the period specified in the purchase order failing which the order shall be cancelled and the Earnest Money will be forfeited. However, in exceptional circumstance and, on written request, from the supplier/tenderer, extension of date for supply of the material will be considered. Extension in supply period is at the sole discretion of the competent authority.
25. Service manuals, wherever available/ required, should be provided along-with the Equipments.
26. The University reserves the right at the time of award of PO/Contract to increase or decrease the quantity of goods and services originally specified in the Schedule of Requirements without any change in unit price or other terms and conditions. Further, the quantities in the PO/Contract may be enhanced by 30% within the delivery period.
27. In the case of purchase of may items against one tender, which are not inter-dependent or where compatibility is not a consideration, comparison would be made on the basis of prices quoted by the firms for identifying the lowest quoting for each item.
28. **WARRANTY:** All products must have a minimum of One Year Warranty. A Warranty Certificate should invariably be supplied along with the item at the time of delivery. If after delivery, acceptance and installation and within the guarantee and warranty period, the operation or use of the goods proves to be unsatisfactory, the supplier shall rectify the defects, errors or omissions by repair or by partial or complete replacement on free of cost basis.
29. The Competent Authority reserves the right to levy liquidated damages up to 2% of the value of the order for delayed supply. If the supply is delayed beyond the extended period, the University reserves the right even to cancel the order and forfeit the EMD of the firm/ tenderer.
30. **PERFORMACE SECURITY DEPOSIT:-** The successful tenderer shall furnish Performance Security Deposit of the value of 05% of the basic cost of the item in the shape of Bank Guarantee/FDR etc. from a nationalized bank pledged to Registrar, DTU, for a period of 60 days beyond the warrantee period to ensure the satisfactory performance of item supplied. The performance guarantee is to be submitted at the time of installation / demonstration of equipments. In case the performance of the item is not found satisfactory and/or the Supplier fails to complete its obligation under the contract/purchase order, the amount of Performance Security will be credited in University account.
31. **DEFAULT:** - In the event of default and unsatisfactory service of the contractor/Supplier firm, the DTU will be at liberty to repair/get the item serviced from other party at the cost of supplier/ contractor/ tenderer.
32. In case of software items, the suppliers should ensure that:-
 - o Legal software is supplied in original sealed pouches / P. K. T.
 - o A license agreement is enclosed with it.

- A registration card is available for software.
- 33. FAILURE AND TERMINATION: - If the Contractor / Supplier fails to deliver the stores or any installment thereof within the period fixed for such delivery or at any time repudiates the contract before the expiry of such period, DTU may without prejudice to the right of the purchaser recover damages for breach of the contract.
- 34. The technical & financial bids of only those bidders will be opened who fulfill the eligibility criteria and whose documents are found in order. If any of the date earmarked for opening of technical or financial bids happens to be a holiday, the bids will be opened on the very next working day.
- 35. For any query/clarification in r/o technical aspect of the enquiry, HOD (ECE), DTU may be contacted.
- 36. Notwithstanding the provisions relating to extension of time, penalty and cancellation of tender/contract for default, the vendor shall not be liable for forfeiture of its performance security/ liquidated damages or termination for default, if and to the extent that, its delay in performance or other failure to perform its obligations under the contract is the result of an event of Force Majeure (i.e. an event or situation beyond the control of the vendor that is not foreseeable, is unavoidable, and its origin is not due to negligence or lack of care on the part of the vendor; such as wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes etc.). If the performance in whole or in part or any obligation under the contract is prevented or delayed by any reason of force-majeure for a period exceeding 60 days, either party may at its option terminate the contract by sending a written notice without any financial repercussions on either side.
- 37. Disputes, if any, arising out of this tender shall be subject to exclusive jurisdiction of Courts of Delhi/New Delhi only.

OFFICER IN-CHARGE (S&P)
DELHI TECHNOLOGICAL UNIVERSITY,
SHAHBAD DAULATPUR, BAWANA ROAD, DELHI - 110 042

CHECK LIST OF DOCUMENTS TO BE SENT WITH TECHNICAL BID.

S.No.	Particulars of documents	Page no.	No. of pages
1.	Proof of EMD (mention amount with instrument number and date)		
2.	Proof of PAN no. (mention no.....)		
3.	Proof VAT/Sales Tax Registration. (mention no.)		
4.	Brochure/Leaflets/Technical Information, including Make & Model, Imported/Indian of the item(s)		
5.	UNDERTAKING as per page no. 6 of Tender Document, duly signed.		
6.	Detailed Technical specifications, including Terms & Conditions and Delivery period etc. to be submitted on firm's letter head		
7.	Warranty Certificate		
8.	P.Os Copies having executed similar items/order copy With at least 3 financial years date of tender.		
9.	Authorization Certificate from Original Equipment Manufacturer (OEM) or their Distributor to quote/sell the product, in case the Bidder is not the OEM.		

Note: All copies of above documents should be duly signed and stamped by the tenderer before uploading.

Signature of tenderer:

Name:

Name of firm:

Telephone No.....