

Forwarded to Hostel office. *OK*



Engineering Cell
Delhi Technological University
Shahbad Daulatpur, Bawana Road, Delhi-110042

File No: DTU/Engg.Cell/00246/2025-26/Civil

Dated: 27.03.2026

NOTICE INVITING QUOTATION

The Chief Project Officer, Engineering Cell DTU invites, on behalf of Delhi Technological University, sealed percentage rate quotations from Civil Contractors/Suppliers up to 03.00 PM on 08.04.2026 for the following works, which shall be opened at 03:30 PM on the same day. Schedule of work along with terms and conditions can be obtained from office of the Chief Project Officer on all working days by submitting an application along with a copy of G.S.T. No. or PAN Card up to 02:00 PM on 08.04.2026.

S.No.	Name of Work	Estimated Cost (Rs.)	Time Allowed	Last date of Receipt of Quotation
1.	Exterior painting and other repairing work in Kalpana Chawla Hostel (KCH) at DTU campus.	4,67,102/-	30 days	08.04.2026

TERMS & CONDITIONS:-

1. The work shall be carried out as per CPWD specifications/manufacturer's specification.
2. The rates quoted should be inclusive of all the taxes and duties & nothing extra shall be paid.
3. No T&P shall be issued to the firm by the department.
4. Payment shall be made after execution of work.
5. Any damages/ unforeseen charges during the work shall be borne by contractor. Nothing shall be paid in this account.
6. Necessary recoveries shall be made from the bill.
7. Water Charges @1% and Electricity Charges @1% shall be deducted from the bill.
8. Penalty on account of delay of the work due to any reason (if any) may be imposed @500/- per day or as decided by the Engineer-in-Charge.
9. Contractor shall bring the 100% quantity of Acrylic Distemper, Exterior Paint, Synthetic Enamel Paint, primer etc. required for the work of approved brand before start of the work and submit to concerned J.E. in-charge along with original invoice.
10. Samples of various materials required for the work shall be got approved before supply of materials by the Engineer-in-Charge.
11. All the splashes after painting work shall be removed on same day otherwise penalty shall be imposed as decided by the Engineer-in-Charge.
12. Scrapped materials shall be removed immediately after the scrapping work.
13. Distemper/ Exterior paints/ Synthetic Paints/ primer etc supplied at site shall be got verified by the manufacturer before consuming in the work and contractor should submit the report of manufacturer to department before starting the work
14. Time Allowed:- 30 Days

Enclosure: Schedule of work.

Copy to:-

1. Registrar, DTU
2. COF, DTU
3. Sr. Account Officer, DTU
4. A.E. (Civil)/ J.E. (Civil)
5. Notice Board

Rajiv
27/3/26
Executive Engineer

Mr. Gaur
27/03/26
A.E. (Civil)

96

Schedule of Work

Name of Work:- Exterior painting and other repairing work in Kalpana Chawla Hostel (KCH) at DTU campus.

S.No.	DSR 2023 Code	Item description	UoM	Qty	Rate (Rs.)	Amount (Rs.)
1	5.3	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources).	1.00	Cum	11505.50	11,505.50
2	5.9.5	Centering and shuttering including strutting, propping etc. and removal of form for: Lintels, beams, plinth beams, girders, bressumers and cantilevers.	30.00	sqm	736.40	22,092.00
3	5.22A.6	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete Above plinth level. Thermo-Mechanically Treated bars of grade Fe-500D or more.	50.00	kg	107.85	5,392.50
4	14.72	Providing and fixing double scaffolding system (cup lock type) on the exterior side, up to seven story height made with 40 mm dia M.S. tube 1.5 m centre to centre, horizontal & vertical tubes joining with cup & lock system with M.S. tubes, M.S. tube challies, M.S. clamps and M.S. staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for the required duration as approved and removing it there after .The scaffolding system shall be stiffened with bracings, runners, connection with the building etc wherever required for inspection of work at required locations with essential safety features for the workmen etc. complete as per directions and approval of Engineerin- charge .The elevational area of the scaffolding shall be measured for payment purpose .The payment will be made once irrespective of duration of scaffolding. sqm 285.00. Note: - This item to be used for maintenance work judicially, necessary deduction for scaffolding in the existing item to be done.	200.00	sqm	338.25	67,650.00
5	13.12	18 mm cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) and a top layer 6 mm thick cement plaster 1:3 (1 cement : 3 coarse sand) finished rough with sponge.	50.00	sqm	537.45	26,872.50
6	14.75	Repair to plaster of thickness 12mm to 20 mm in patches of area 2.5 sqm and under, including cutting the patch in proper shape, raking out joints and preparing plastering the wall surface with white cement based polymer modified self curing mortar, including disposal of rubbish, all complete as per the direction of Engineer-In-Charge.	20.00	sqm	670.95	13,419.00



95

No.	SR 2023 Code	Item description	UoM	Qty	Rate (Rs.)	Amount (Rs.)
7	13.72	Washed stone grit plaster on exterior walls height upto 10 metre above ground level, in two layers, under layer 12 mm cement plaster 1:4 (1 cement : 4 coarse sand), furrowing the under layer with scratching tool, applying cement slurry on the under layer @ 2 Kg of cement per square metre, top layer 15 mm cement plaster 1:1/ 2:2 (1 cement: 1/2 coarse sand : 2 stone chipping 10 mm nominal size), in panels with groove all around as per approved pattern, including scrubbing and washing the top layer with brushes and water to expose the stone chippings ,complete as per specification and direction of Engineer-in-charge. (payment for providing grooves shall be made separately).	20.00	sqm	1162.25	23,245.00
8	13.73.1	Forming groove of uniform size in the top layer of washed stone grit plaster as per approved pattern using wooden battens, nailed to the under layer, including removal of wooden battens, repair to the edges of panels and finishing the groove complete as per specifications and direction of the Engineer-in-charge : 15 mm wide and 15 mm deep groove	10.00	metre	75.15	751.50
9	15.56	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.	20.00	sqm	54.65	1,093.00
10	26.29	Cleaning of reinforcement from rust from the reinforcing bars to give it a total rust free steel surface by using alkaline chemical rust remover of approved make with paint brush and removing loose particles after 24 hours of its application with wire brush and thoroughly washing with water and allowing it to dry, all complete as per direction of Engineer-in-Charge.				
10.1	26.29.1	Bars upto 12 mm diameter	100.00	metre	8.25	825.00
10.2	26.29.2	Bars above 12 mm diameter	100.00	metre	16.45	1,645.00
11	26.31.1	Providing, mixing and applying bonding coat of approved adhesive on chipped portion of RCC as per specifications and direction of Engineer In-charge complete in all respect. SBR Polymer (@10% of cement weight) modified cementitious bond coat @ 2.20 kg cement per sqm of surface area mixed with specified proportion of approved polymer	30.00	sqm	141.20	4,236.00

999

No.	DSR 2023 Code	Item description	UoM	Qty	Rate (Rs.)	Amount (Rs.)
12	26.32.1	Providing, mixing and applying SBR polymer (of approved make) modified Cement mortar in proportion of 1:4 (1 cement: 4 graded coarse sand with polymer minimum 2% by wt. of cement used) as per specifications and directions of Engineer-in-charge. Note: Measurement and payment: The pre-measurement of thickness shall be done just after the surface preparation is completed and Payment under this item shall be made only after proper wet curing has been done and surface has been satisfactorily evaluated by sounding / tapping with a blunt metal instrument and/or the 75mm size cube crushing strength at the end of 28 days to be not less than 30 N/ mm ²). 12 mm average thickness.	30.00	sqm	388.65	11,659.50
13	15.60	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	30.00	sqm Ch.m	263.95	7,918.50
14	13.96.2	Painting (one or more coats) on rain water, soil waste and vent pipes and fittings with synthetic enamel paint of approved brand and manufacture and required colour on old work : 100 mm diameter pipes	50.00	mtr sqm	36.25	1,812.50
15	13.99.1	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade : One or more coats on old work	260.00	sqm	102.80	26,728.00
Total=						2,26,845.50
Add GST Multiplication factor (0.0633) of 18% in place of 12%=						14,359.32
Total=						2,41,204.82
Add Cost Index on DSR 2021 Items @7%=						16,884.34
Total Rs. (A)=						2,58,089.00
16	Based on 13.111.2	Finishing walls with Acrylic Smooth exterior paint of required shade including making the necessary arrangement of scaffolding/ jhulla upto floor five level all complete after proper cleaning and scarping of surface wherever required as per direction of Engineer-in-Charge : Old work (One or more coat applied @ 0.90 ltr/10 sqm) on existing cement paint surface.	Sqm	2100.00	99.53	2,09,013.00
Total Rs. (B)=						2,09,013.00
Total Rs. (A+B) =						4,67,102.00


AE


25/2/26
AE


EE