



ENGINEERING CELL
Delhi Technological University
Shahbad Daultapur, Bawana Road, Delhi-110042

File No: DTU/Engg.Cell/0023/2023-24/Civil

Dated: 10.08.2023

NOTICE INVITING QUOTATION

The Chief Project Officer, Engineering Cell, DTU invites, on behalf of Delhi Technological University, sealed percentage rate quotations from Contractors up to 03.00 PM on 16.08.2023 for the following works, which shall be opened at 03:30 PM on the same day. Schedule of work along with terms and conditions can be obtained from office of the Chief Project Officer/DTU or DTU website on all working days by submitting an application along with a copy of G.S.T. No. or PAN Card up to 02:00 PM on 16.08.2023.

S. No.	Name of Work	Estimated Cost (Rs.)	Time Allowed	Last date of Receipt of Quotation
1.	Toilet renovation work in Type-5/45 at Residential Block, DTU campus.	90,434/-	15 days	16.08.2023

TERMS & CONDITIONS:-


1. The work shall be carried out as per CPWD specifications and as per direction of Engineer-in-Charge.
2. The rates quoted should be inclusive of all the taxes and duties & nothing extra shall be paid.
3. No T&P shall be issued to the firm by the department.
4. Necessary recoveries shall be made from the bill.

Enclosure: Schedule of work.


10/08/23
Chief Project Officer
DTU Campus, Bawana Road

Copy to: -

1. Registrar, DTU
2. Sr. Account Officer, DTU
3. J.E. (Civil)
4. Notice Board


10/08/23
A.E. (Civil)-CDC, DTU

Schedule of Work

Name of Work:- Toilet renovation work in Type-5/45 at Residential Block, DTU campus.

S.No.	DSR Code	Description of items	Qty	Unit	Rate (Rs.)	Amount (Rs.)
1	15.23.1	Dismantling tile work in floors, wall and roofs laid in cement mortar including stacking material within 50 metres lead. For thickness of tiles 10 mm to 25 mm	50.00	Sqm	31.55	1577.50
2	11.36	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	50.00	Sqm	744.80	37240.00
3	11.39	Providing and laying rectified Glazed Ceramic floor tiles of size 300x300 mm or more (thickness to be specified by the manufacturer), of 1st quality conforming to IS : 15622, of approved make, in colours White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement: 4 Coarse sand), jointing with grey cement slurry @ 3.3kg/ sqm including grouting the joints with white cement and matching pigments etc., complete.	10.00	Sqm	822.45	8224.50
4	15.44.1	Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means including stacking of pipes within 50 metres lead as per direction of Engineer-in-charge : 15 mm to 40 mm nominal bore	20.00	mtr	63.65	1273.00
5	18.8.2	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 20 mm nominal outer dia Pipes	20.00	mtr	284.85	5697.00
6	18.52.1	Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931. 15 mm nominal bore	3.00	each	545.95	1637.85
7	15.42.2	Dismantling C.I. or asbestos rain water pipe with fittings and clamps including stacking the material within 50 metres lead : 100 mm dia pipe	5.00	Mtr	31.95	159.75
8	17.35.1.2	Providing and fixing soil, waste and vent pipes : 100 mm dia. Centrifugally cast (spun) iron socket & spigot (S&S) pipe as per IS: 3989	5.00	Mtr	921.65	4608.25
8.1	17.35.2.2	75 mm diameter:- Centrifugally cast (spun) iron socket & spigot (S&S) pipe as per IS: 3989	2.00	Mtr	794.55	1589.10

[Handwritten Signature]
A.E.

S.No.	DSR Code	Description of items	Qty	Unit	Rate (Rs.)	Amc (Rs.)
9	15.56	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead	50.00	sqm	22.40	1120.00
10	17.3.1	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required : W.C. pan with ISI marked white solid plastic seat and lid	1.00	each	4593.75	4593.75
11	17.36.2	Providing and filling the joints with spun yarn, cement slurry and cement mortar 1:2 (1 cement : 2 fine sand) in S.C.I./ C.I. Pipes : 100 mm dia pipe	2.00	each	85.95	171.90
11.1	17.36.1	75 mm dia pipe	2.00	each	72.95	145.90
12	18.49.1	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 : 15 mm nominal bore	3.00	each	371.70	1115.10
13	18.51.1	Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms. 15 mm nominal bore	2.00	each	492.55	985.10
14	18.52.1	Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931. 15 mm nominal bore	2.00	each	545.95	1091.90
15	18.53.1	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931. 15mm nominal bore	3.00	each	475.70	1427.10
16	18.53A	Providing and fixing C.P. Brass extension nipple (size 15mmx50mm) of approved make and quality as per direction of Engineer-in-charge.	5.00	each	58.10	290.50
17	14.85	Taking out existing wooden door shutter, repair by cutting, painting etc. and refixing of repaired door shutters to existing door frames, including replacement of hinges with screws, etc. as required, all complete as per the direction of the Engineer-in-charge.	18.00	each	176.40	3175.20
					Total	76123.40
					Add Cost Index 31.27 % on DSR-2016	23803.79
					Total	99927.19
					Less on 9.50% on DSR-2016	-9493.08
					Total Rs.	90434.00

J.E.

A.E.

CPO